



**KRAMPE HAREX®**


KNOW WHY.

## Data Sheet | Fibres

Version 01/2022

# SYNTHETIC FIBRE

fibrillated synthetic fibre



### GEOMETRY

1 Type of fibre	synthetic fibre
2 Shape of fibre	fibrillated synthetic fibre
3 Length	12 mm ± 10 %
4 Diameter	60 µm ± 50 %
Cross section	rectangular

### MATERIAL PROPERTIES

Material	polypropylene
Tensile strength	>= 300 N/mm <sup>2</sup>
Modulus of elasticity	~ 1.300-1.800 N/mm <sup>2</sup>
Melting temperature	160 °C

### CERTIFICATIONS & SYSTEM APPROVALS


Standards	DIN EN 14889-2 (Class Ib)
Certifications (DIN)	EN ISO 9001:2015, EN ISO 50001



### GENERAL FIBER INFORMATION

Quantity of fibres (ref. 1 kg) -

### DOSING DEVICES



Automatic dosing system

### SERVICE+

We offer advice and recommendations on the right fibre, help with the configuration and selection of a suitable dosing device.

You can also find more information at: [krampeharex.com](http://krampeharex.com)

Subject to change without notice. All specifications are only a general description of our products.

### INFO

- Application examples
- > Floor screed
- > Precast concrete elements

### SAFETY



Protective glasses



Gloves

### PACKAGING



Bags  
Customer request



Boxes  
Customer request



Big Bag  
Customer request

### STORAGE



Keep Dry